

JUVÉDERM® VOLUMA®, VOLLURE®, VOLBELLA® INFORMED CONSENT

This is an informed-consent document which has been prepared to help your Medical Injector inform you concerning Juvéderm® collection of Voluma®, Vollure®, and Volbella® Dermal Filler injections, its risks, likely effects and alternative treatments.

It is important that you read this information carefully and completely. Please sign the consent for this procedure as proposed by your Medical Injector and agreed upon by you, indicating that you have read the informed consent.

I, _____ authorize Medical Injector _____ to perform the following procedure: **Juvéderm® Dermal Filler Injection of either Voluma®, Vollure® or Volbella®.**

To correct or enhance the following areas:

| | | | | | |
|---------------------|--|--------------------|--|--------------|--|
| Anterior Cheek | | Marionette Lines | | Hands | |
| Lateral Cheek | | Oral Commissures | | Earlobes | |
| Nasal Jugal Grooves | | Chin/Mental Crease | | Jawline | |
| Corrugators | | Submalar | | Crow's Feet | |
| Temples | | Lips | | Brow Lines | |
| Nasal Labial Fold | | Nose | | Preauricular | |
| Other | | Other | | Other | |

JUVÉDERM® VOLUMA® XC injectable gel is indicated for deep (subcutaneous and/or supraperiosteal) injection for cheek augmentation to correct age-related volume deficit in the mid-face in adults over the age of 21. Voluma® lifts the cheek area and restores youthful contours to the face by addressing midface volume loss. Voluma® is injected deep into the facial tissue, and its thick gel formula helps provide the structure that corrects facial sagging, sunken cheeks, and other signs of aging related to significant volume loss. Results last up to two years.

JUVÉDERM® VOLLURE® XC injectable gel is indicated for injection into the mid-to-deep dermis for correction of moderate to severe facial wrinkles and folds (such as nasolabial folds) in adults over the age of 21. Vollure® refreshes the lower section of the face by correcting facial wrinkles and folds in the nasolabial area. Vollure® is particularly effective for minimizing marionette lines (corner of mouth to chin) and smoothing out the parentheses lines (nose to mouth). Adding volume to the lines and folds in the lower half of the face takes years off, and the Vollure® results last up to 18 months.

JUVÉDERM® VOLBELLA® XC injectable gel is indicated for injection into the lips for lip augmentation and for correction of perioral rhytids in adults over the age of 21. Plumps the lips and fills in vertical lines around the mouth for smooth, luscious lips. The Volbella® formula is a soft, smooth gel that's a bit thinner and more spreadable, making it ideal for providing subtle volume and definition to the lips. It also contains Lidocaine, an anesthetic that helps minimize discomfort during treatment in the sensitive lip area. Volbella® will plump your pout for up to a full year.

INDICATIONS AND PURPOSE OF THE PROCEDURE

Juvéderm® injectable gel is a colorless hyaluronic acid based dermal filler, generated by non-animal protein and approved by the United States Food and Drug Administration, designated to temporarily treat and correct moderate to severe facial wrinkles and folds (such as the nasolabial folds), shape facial contours and other areas of volume loss, especially around the nose and mouth. Hyaluronic acids include a wide range of complex carbohydrate molecules, normally found in the human body, elevating depressed areas and wrinkles, and providing a volume supplement to tissues to improve contours such as lip and cheek enlargement. This Hyaluronic Acid filler is injected into areas of facial tissue where moderate to severe facial wrinkles and folds occur. Juvéderm® injectable gel temporarily adds volume to the skin and may give the appearance of a smoother surface. Juvéderm® Voluma®, Vollure® and Vobella® have been shown to provide correction to the injected sites for 1 year to 2 years depending on the area and depth of use. Hyaluronic fillers cannot stop the process of aging, however they can temporarily diminish the look of wrinkles and soft tissue depressions. Without periodic touchup injections, the correction will subside gradually, and the skin will look as it did before the treatment. Subsequent alterations in face and eyelid appearance may occur as a result of aging, weight loss or weight gain, sun exposure, pregnancy, menopause or other circumstances not related to dermal filler injections.

Filler injections may be performed as a singular procedure, in combination with other injectable treatments, or as an adjunct to a surgical procedure. Filler injections require regional nerve blocks or local anesthetic injections to diminish discomfort. Any history of an allergy to local anesthetic must be conveyed to the Medical Injector, as the possibility of light-headedness, rapid heartbeat and fainting may occur.

SIDE EFFECTS AND COMPLICATIONS

Every procedure involves a certain amount of risk and possible complications associated with them. Although the majority of clients do not experience these complications you should discuss each of them with your Medical Injector to understand risks, potential complications, limitations and consequences.

Side effects, risks and complications associated with dermal filler injections include but are not limited to:

1. **Bruising, Redness, Swelling, Itching, Tenderness and Pain:** I understand that there is a risk of bruising, redness, swelling, itching and pain associated with the procedure, as well as temporary skin discoloration and needle marks. These symptoms are usually mild and last less than a week but can last longer. Clients who are using medications that can prolong bleeding, such as aspirin, anti-inflammatory medications, platelet inhibitors, anticoagulants, or certain vitamins and herbal supplements, may experience increased bruising or bleeding at the injection site. Seek emergency medical treatment for post injection bleeding.
2. **Nodules and Palpable Material:** I understand that there is a risk that small lumps may form under my skin due to the Juvéderm® Dermal Filler material collecting in one area. I also understand that I may be able to feel the Juvéderm® filler material in the area where the material has been injected. Any foreign material injected into the body may create the possibility of swelling or other local reactions to a filler material.
3. **Accidental Injection into a Blood Vessel:** Although rare, I understand that Juvéderm® Dermal Filler can be accidentally injected into a blood vessel (arterial structures) which may block the blood vessel (flow of blood) and cause damage of potentially large areas of distant tissue, or potentially even a heart attack, stroke or blindness.

4. **Infection:** As with all transcutaneous procedures, I understand that injection of any filler material carries the risk of infection.
5. **History of Herpes Infection:** I understand that there is a risk that injection of any filler material carries the risk of a recurrence of an outbreak of herpes simplex virus (fever blisters/cold sores/shingles) and that the outbreak may be severe in nature. I have disclosed to the health care provider my medical history and in particular, disclosed prior herpes outbreaks. Medications must be taken prior to and following the treatment in order to suppress an infection from the herpes virus. Should an infection occur, antibiotics may be necessary.
6. **Skin Infection:** I understand that Juvéderm® Dermal Filler should not be used in areas of active infection (cysts, pimples, rashes or hives) or on those who are on immunosuppressive therapy.
7. **Allergic Reactions:** I understand that Juvéderm® Dermal Filler should not be used in clients with severe allergies, a history of anaphylaxis, or history or presence of multiple severe allergies, hypersensitivity to any of the ingredients in Juvéderm® Dermal Filler, especially gram-positive bacterial proteins and hyaluronic acid.
8. **Skin Necrosis:** It is very unusual to experience death of skin and deeper soft tissues after injections. Skin necrosis can produce unacceptable scarring. Should this complication occur, additional treatments or surgery may be necessary.
9. **Migration and Asymmetry:** I understand that Juvéderm® Dermal Filler, as with any filler material, may move from the place where it was injected, resulting in unintended effects. The human face is normally asymmetrical in appearance and anatomy. It may not be possible to achieve or maintain exact symmetry with tissue filler injections, there can be variations from one side to the other in terms of the response to injection.
10. **Duration of Effect:** I understand that the outcome of treatment with Juvéderm® Dermal Filler will vary among clients. In some instances, additional treatments may be necessary to achieve the desired outcome.
11. **Concomitant Dermal Therapies:** I understand that the safety of Juvéderm® Dermal Filler with concomitant Dermal Therapies such as epilation, UV radiation, laser, mechanical or chemical peeling procedures has not been evaluated in controlled clinical trials. If laser treatment, chemical peeling, or any other procedure based on active dermal response is considered after treatment with Juvéderm® Dermal Filler, before the skin has healed completely, there is an increased risk of inflammatory reaction at the injection site.
12. **Keloids/Scarring:** I understand that the safety of Juvéderm® Dermal Filler in clients with known susceptibility to keloid formation or hypertrophic scarring has not been studied.
13. **Pregnancy/Age:** I understand that the safety of Juvéderm® Dermal Filler for use during pregnancy and in breastfeeding females, or in clients 21 years of age has not been studied, and therefore should not be used while pregnant, nursing or under the age of 21.
14. **Interactions:** I understand that the interaction of Juvéderm® Dermal Filler with drugs or other substances or implants has not been studied.

15. **Unsatisfactory Results:** Not all wrinkles can be adequately treated with Hyaluronic Acid alone. There is the possibility of poor or inadequate response from filler injections. Other surgical procedures or treatments may be needed to improve wrinkles and folds, including wrinkle creams, laser skin resurfacing, other types of dermal fillers or bacterial toxins. Although good results are expected, there is no guarantee or warranty expressed or implied.

CONTRAINDICATIONS

Aspirin, anti-inflammatory medications, platelet inhibitors, anticoagulants, Vitamin E, ginkgo biloba and other herbs/homeopathic remedies may contribute to a greater risk of bleeding and bruising problem. Do not take these for ten days before or after Juvéderm® Dermal Filler injections.

As with any injection into the head or neck, the injected material may be inadvertently implanted in a blood vessel, which could cause occlusion, infarction, or embolic phenomena.

I understand that I should minimize exposure of the treated area to the sun, heat and extreme cold weather for approximately 24 hours after treatment or until any initial swelling or redness goes away and puncture sites have healed. Within the first 24 hours, you should avoid strenuous exercise. You should ask your healthcare provider when make-up may be applied after treatment.

I understand the above, and have had the risks, complications, benefits, and alternatives explained to me by the Medical Injector. No guarantees about results have been made.

CONSENT

I understand and agree that all services rendered will be charged directly to me, and I am personally responsible for payment. I further agree, in the event of non-payment, to bear the cost of collection, and/or court costs and reasonable legal fees should they be required. The fees charged for this procedure do not include any potential future costs for additional procedures that you elect to have or require in order to revise, optimize, or complete your outcome. Additional costs may occur should complications develop from the injections and will also be your responsibility.

I agree to follow up with Body+Beauty Lab at the recommended intervals to monitor the effectiveness of the treatment, and to contact Body+Beauty Lab to advise of any change in my condition or any problem I may experience.

In signing this consent for this procedure, you acknowledge that you have read the informed consent and have been informed about its risks and consequences and accept responsibility for the clinical decisions that have been made, along with the financial costs of all treatments and future treatments. I understand that I have the right not to consent to this treatment and that my consent is voluntary. I hereby release the Medical Director, Medical Injector and Body+Beauty Lab from liability associated with this procedure. I give my informed consent for Juvéderm® Voluma®, Vollure® or Volbella® Dermal Filler injection today as well as future treatments as needed.

Client Signature _____ Date _____

Medical Injector Signature _____ Date _____